

**From:** [Mitchell, Tanya](#)  
**To:** [Walls \(Young\), Suzy](#)  
**Cc:** [Gary M. Fisher](#); [Draikiwicz, Michael](#); "[pete.bergeron@chevron.com](mailto:pete.bergeron@chevron.com)"; [Persico, John](#)  
**Subject:** RE: Rolling Knolls - FCR-09 Proposed Analyses at Existing Wells  
**Date:** Tuesday, June 30, 2015 3:28:24 PM

---

**Confirmation of this email is requested.**

Suzy,

I have reviewed FCR-09 and it is not approved as submitted. Please update FCR-09 to reflect that MW-13 has been changed to pore water samples. The purpose of the FCR-09 is to document the additional MW that will be sampled during the second phase. EPA's position on MW sampling parameters shall remain the same as documented in Table 1 of the approved Data Gaps SAP dated November 2014. Please revise FCR-09 and the attached Table as noted. In addition, there is some concern regarding MW-10. Please clarify if this MW will be sampled during the second phase of sampling.

Please note that all changes to the SAP/ QAPP must be approved by EPA. Thus, no sampling and/or field activities associated with FCRs should occur prior to EPA's approval of the FCR.

A revised FCR-09 is requested within three days of receipt of this email. Should you have any questions or concerns regarding this email, please notify me upon receipt of this email.

Regards,

Tanya

---

**From:** Walls (Young), Suzy [<mailto:Suzy.Walls@arcadis-us.com>]

**Sent:** Wednesday, June 10, 2015 5:35 PM

**To:** Mitchell, Tanya

**Cc:** Ricci, Richard F.; Gary M. Fisher; Draikiwicz, Michael; "[pete.bergeron@chevron.com](mailto:pete.bergeron@chevron.com)"; [mfaigen@issuesllc.com](mailto:mfaigen@issuesllc.com); Persico, John; Guthertz, Andrew

**Subject:** Rolling Knolls - FCR-09 Proposed Analyses at Existing Wells

Tanya,

The Field Change Request for the selection of analyses at existing monitoring wells during the second round of groundwater sampling is attached. Please let me know if you have any questions or comments.

Thanks,

Suzy

**Suzy Walls** | Ecologist / Certified Project Manager | [suzy.walls@arcadis-us.com](mailto:suzy.walls@arcadis-us.com)

ARCADIS U.S., Inc. | 114 Lovell Road, Suite 202 | Knoxville, TN, 37934

T. 865.777.3502 | M. 919.455.5413 | F. 865.675.6712

[www.arcadis-us.com](http://www.arcadis-us.com)

